
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



"TRY CLARKE"



62.09

W. B. CLARKE & SON

P. O. Box 343

Horticultural Brokerage

Phone S. J. 1776

SAN JOSE, CALIFORNIA

November 15, 1926

LIST 2606

THIS LIST COVERS STOCK OFFERED BY

CLARKE NURSERY CO.

SAN JOSE, CALIF.

SEASON 1926-1927

PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled. TERMS. To buyer of known or established credit, 60 days from date of invoice. Otherwise cash with order or 25% with order, balance C. O. D.

GRADING. Plants that are wider than they are tall are graded by width.

QUANTITES. Five or more plants of one kind and size will be

supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with

the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

NOMENCLATURE. All plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," if listed in that book. The only exceptions are a few uncommon items and novelties which that work does not include, and the addition of a few common names widely used on the Pacific Coast. This standardized nomenclature should unquestionably be followed by everyone from now on.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net.

SEE SPECIAL OFFER ON LAST PAGE

CONIFERS

Unless otherwise noted all plants in this section will be	balled at	prices que	ted.
	each	10	100
ARAIICARIA imbricata (Monkeypuzzle).	rate	rate	rate
ARAUCARIA imbricata (Monkeypuzzle), 4 in. pot, 6 to 8 in	.75	\$.60	\$.50
CEDRUS deodara (Deodar), 3 to 3½ ft	3.00	2.75	2.50
2½ to 3 ft	2.50	2.25	2.00
2½ to 3 ft	2.00	1.75	1.50
1½ to 2 ft	1.50	1.25	1.00
1 to 1½ ft	1.00	.85	.75
CHAMAECYPARIS lawsoniana alumi (Scarab Cypress)			
2 to 2½ ft	$\frac{2.50}{1.75}$	2.00 1.50	1.25
2 to 2½ ft. 1½ to 2 ft. 1 to 1½ ft.	1.25	1.00	.75
lawsoniana argentea (Silver Lawson Cypress)			
3 to 3½ ft	2.50	2.00	
2½ to 3 ft	$\frac{2.00}{1.50}$	1.50	
2 to 2½ it	1.25	1.25 1.00	
lawsoniana coerulea glauca, 1 to 1½ ft	1.25	1.00	
8 to 12 in	1.00	.75	
lawsoniana erecta viridis (Green Column Cypress)			
1½ to 2 ft	1.50	1.25	
1 to 1½ ft	1.25	1.00	
lawsoniana minima, 8 to 10 in	1.25	1.00	
6 to 8 in	1.00 2.50	.75 2.00	1.50
lawsoniana Silver Queen, 2½ to 3 ft	2.00	1.50	1.25
2 to 2½ ft	1.50	1.25	1.20
1 to 1½ ft	1.00	.75	
lawsoniana stewarti, 8 to 12 in	1.25	1.00	
lawsoniana Triomphe de Boskoop, 21/2 to 3 ft	2.00	1.75	
2 to 2½ ft	1.75 1.50	$1.50 \\ 1.25$	
2 to 2½ ft	1.25	1.00	
pisifera plumosa aurea (Goldenplume Retinospora), 2 to 2½ ft	2.50	2.00	
1½ to 2 ft	2.00	1.50	
1 to 1½ ft	1.25	1.00	
CRYPTOMERIA japonica elegans (Plume Cryptomeria).			
CRYPTOMERIA japonica elegans (Plume Cryptomeria), 2 to 2½ ft	1.50	1.25	
1½ to 2 ft	1.25 1.00	1.00 .75	
	1.00		
CUPRESSUS arizonica (Arizona Cypress), 2 to 3 ftgallon cans, 3 to 4 ft	1.25	1.00	
	1.00	75	
glabra stricta (new), 2½ to 3 ft	1.75	1.50	
2 to 2½ ft	1.50 1.25	1.25 1.00	
1 to 1½ ft	1.00	.75	
macrocarpa (Monterey Cypress),			
5-in. pots, 3 to 4 ft	.50	.40	
4 and 5-in. pots, 2 to 3 ft	.40	.35	.30
4-in. pots, 1½ to 2 ft	.35	.30	.25
sempervirens stricta (Columnar Italian Cypress), 8 to 9 ft			
8 to 9 ft	5.00	4.00	
7 to 8 ft	4.00 3.00	3.25 2.50	3.00
5 to 6 ft	2.25	2.00	1.50
6 to 7 ft	1.75	1.50	1.25
3 to 4 It 2 to 3 ft	1.50 1.25	$1.25 \\ 1.00$	1.00 .75
1½ to 2 ft	1.25	.75	.60
4-in. pots, 1½ to 2 ft	.50	.40	.30
4-in. pots, 1 to 1½ ft	.40	.35	.25 .20
2-72 and 5-in. pots, 1 to 1-72 it	.30	.25	.20
sp. (Silverspray Cypress), (new), grafted	2.00	0.50	
sp. (Silverspray Cypress), (new), grafted 5 to 6 ft	3.00 2.50	2.50 2.25	
JUNIPERUS chinensis columnaris (Erect Chinese Jupiter),	1.50	1.25	
1 72 00 4 10	1.00	1.20	

TYPINE (G. C. I)			
JUNIPERUS—(Continued)	each	10	100
	rate	rate	rate
chinensis pfitzeriana (Pfitzer Juniper), 3 to 4 ft	3.50	3.00	
2½ to 3 ft. 2 to 2½ ft. 1½ to 2 ft.	3.00	2.50	
2 to 2½ 1t	$\frac{2.25}{1.50}$	$\frac{1.75}{1.25}$	
1 to 1½ ft	1.25	1.00	
communis hibernica (Irish Juniper), 3 to 3½ ft	3.00	2.50	
2½ to 3 ft	2.50	2.00	
excelsa stricta (Spiny Greek Juniper), 21/2 to 3 ft	3.50	3.00	
2 to 2½ ft	3.00	2.50	
1½ to 2 ft 1 to 1½ ft	2.25	2.00	
8 to 12 in	$1.75 \\ 1.25$	$\frac{1.50}{1.00}$	
japonica (chinensis procumbens) (Japanese Creep-	1.20	1.00	
ing Juniper), 12 to 15 in	1.50	1.25	
sabina (Savin Juniper), 2 to 2½ ft	2.50	2.00	
sabina tamariscifolia (Tamarix Savin), 3 to 4 ft	3.50	3.00	
virginiana kosteriana (Koster Redcedar),		0.00	
3 to 3½ ft	3.50		
2 to 2½ ft	2.50	2.00	
DINIIC armondi (nom) (Armond Dine) 8 to 10 in	co	En	
PINUS armandi (new) (Armand Pine), 8 to 10 in	.60 .30	.50 .25	.20
canariensis (Canary Pine), 5 in. pots, 1 to 1½ ft	.50	.40	.30
radiata (Monterey Pine),	.00	•40	.00
5-in. pots, 1 to 1½ ft	.50	.35	.30
4-in. pots, 8 to 12 in	.40	.30	.25
RETINOSPORA—see Thuya			
RETINOSPORA—see Thuya			
SEQUOIA sempervirens (Redwood),	1.00	75	60
SEQUOIA sempervirens (Redwood), 5-in, pots, 2 to 2½ ft	1.00	.75 .60	.60 .50
SEQUOIA sempervirens (Redwood),		.75 .60 .20	.60 .50
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft 5-in. pots, 1½ to 2 ft 2½ and 3-in. pots, 3 to 6 in	.75 .25	.60	.50
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft 5-in. pots, 1½ to 2 ft 2½ and 3-in. pots, 3 to 6 in TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft	.75 .25 7.00	.60	.50
SEQUOIA sempervirens (Redwood), 5-in, pots, 2 to 2½ ft 5-in, pots, 1½ to 2 ft 2½ and 3-in, pots, 3 to 6 in TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft	.75 .25 7.00 6.00	.60	.50
SEQUOIA sempervirens (Redwood), 5-in, pots, 2 to 2½ ft 5-in, pots, 1½ to 2 ft 2½ and 3-in, pots, 3 to 6 in TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft	.75 .25 7.00 6.00	.60	.50
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft 5-in. pots, 1½ to 2 ft 2½ and 3-in. pots, 3 to 6 in TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft	.75 .25 7.00 6.00	.60	.50
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft. 5-in. pots, 1½ to 2 ft. 2½ and 3-in. pots, 3 to 6 in. TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft. 3 to 3½ ft. 2 to 2½ ft. 1½ to 2 ft. 1 to 1½ ft.	.75 .25 7.00 6.00	.60	.50
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00	.60 .20	.50 .15
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00	.60 .20	.50 .15
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00	.60 .20	.50 .15
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.00 2.00 1.50	3.00 2.50 1.75 1.25	2.75 2.25
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft 5-in. pots, 1½ to 2 ft 2½ and 3-in. pots, 3 to 6 in TAXUS baccata fastigiata (Irish Yew), 3½ to 4 ft 3 to 3½ ft 2 to 2½ ft 1 ½ to 2 ft 1 to 1½ ft THUYA orientalis aurea nana (Berkman's Golden Arborvitae), selected specimens, 24 in selected specimens, 20 in 15 to 18 in 12 to 15 in 8 to 10 in	7.5 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.00 2.00 1.50 1.00	3.00 2.50 1.75 1.25	.50 .15
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.00 2.00 1.50 1.00 3.00	3.00 2.50 1.75 1.25 .75 2.50	2.75 2.25
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.5 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.00 2.00 1.50 1.00 3.00	3.00 2.50 1.75 1.25 .75 2.50 2.00	2.75 2.25
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.75 .25 7.00 6.00 4.00 3.00 2.00 3.50 2.00 1.50 1.00 3.00 2.50 1.75	3.00 2.50 1.75 1.25 .75 2.50 1.50	2.75 2.25
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.75 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.50 2.00 1.50 2.50 1.75 1.50	3.00 2.50 1.75 1.25 .75 2.50 2.00	2.75 2.25
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.75 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.50 3.00 2.00 1.50 1.50 1.75 1.50 1.25	3.00 2.50 1.75 1.25 2.50 2.00 1.50 1.25	.50 .15
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	7.75 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.50 3.00 2.00 1.50 1.50 1.75 1.50 1.25	3.00 2.50 1.75 1.25 .75 2.50 2.00 1.50	.50 .15
SEQUOIA sempervirens (Redwood),	7.75 .25 7.00 6.00 4.00 3.00 2.00 3.50 3.50 3.00 2.00 1.50 1.00 3.00 2.50 1.50 1.75 1.50 1.25	3.00 2.50 1.75 1.25 .75 2.00 1.50 1.25 1.00	.50 .15
SEQUOIA sempervirens (Redwood),	3.50 3.00 2.00 3.50 3.00 2.00 3.50 3.00 2.00 3.50 1.50 1.50 1.25 4.00	3.00 2.50 1.75 1.25 .75 2.50 1.50 1.25 1.00 3.00	2.75 2.25 .60
SEQUOIA sempervirens (Redwood),	3.50 3.00 2.00 3.50 3.00 2.00 3.50 3.00 2.00 3.50 1.50 1.50 1.25 4.00	3.00 2.50 1.75 1.25 .75 2.00 1.50 1.25 1.00	2.75 2.25 .60
SEQUOIA sempervirens (Redwood), 5-in. pots, 2 to 2½ ft	3.50 3.00 2.00 3.50 3.00 2.00 3.50 3.00 2.00 3.50 1.50 1.50 1.25 4.00	3.00 2.50 1.75 1.25 .75 2.50 2.00 1.50 1.25 1.00	2.75 2.25 .60

BROAD LEAVED EVERGREENS

Unless otherwise noted all plants in this section will be balled at prices quoted.

Unless otherwise noted all plants in this section will be	balled	at prices	quoted.
	each	10	100
	rate	rate	rate
ABELIA grandiflora (Glossy Abelia), 3 to 4 ft\$	$1.50 \\ 1.25$	\$1.25 1.00	\$1.00
116 to 2 ft	1.00	.75	.75 .60
2 to 3 ft	.75	60	.50
ACACIA armata (Kangaroo Thorn), 5 in. pots and 1 gal. cans, 3 to 4 ft	.50	.40	.30
2½ in. pots, 1 to 2 ft	.25	.20	.15
baileyana (Cootamundra Wattle), 1 gal. cans, 5 ft 6 in. pots, 4 to 4½ ft	1.25	1.00	.75
6 in. pots, 4 to 4½ ft	1.00	.75	.60
6 in. pots, 3 to 4 ft	.75	.60	.50
5 and 6 in. pots, 2 to 216 ft	.60 .50	.50 .40	.40 .30
cultriformis (Knife Acacia) 5 in nots 4 to 416 ft	.60	.50	
cultriformis (Knife Acacia), 5 in. pots, 4 to 4½ ft 4 and 5 in. pots, 3 to 4 ft	.50	.40	.30
4 and 5 in. pots, 2 to 3 ft	.40	.30	.25
4 and 5 in. pots, 1½ to 2 ft	.35	.25	.20
decurrens dealbata (mollissima) (Silver Wattle),	.60	.50	.40
5 in. pot. 4 to 5 ft	.50	.40	.35
5 in. pot, 3 to 4 ft	.40	.35	.30
4 and 5 in. pot, 2 to 3 ft	.35	.30	.25
6 decurrens dealbata (moinssima) (silver wattle), 5 in, pot, 5 to 6 ft	.30	.25	.20
latifolia (Broadleaf Acacia), 5 gal. can, 8 to 10 ft	$\frac{1.50}{.75}$	1.25 .60	.50
5 in. not. 5 to 6 ft	.60	.50	.40
5 in. not. 4 to 5 ft	.50	.40	.35
5 in. pot, 3 to 4 ft	.40	.35	.30
5 in. pot, 2 to 3 ft	.35	.30	.25
melanoxylon (Blackwood Acacia), 5 gal. can, 8 to 10 ft	1.50	1.25	
5 in. pot. 6 to 7 ft	.75	.60	.50
5 in. pot, 6 to 7 ft	.65	.50	.40
5 in. pot, 4 to 5 ft	.50	.40	.30
5 in. pot, 3 to 4 ft	.40	.30 .25	.25 .20
	.00		.20
neriifolia (floribunda) (Bald Acacia), 5 in. pot, 5 to 6 ft	.75	.60	.50
5 in. pot. 4 to 5 ft	.60	.50	
4 in. pot, 3 to 4 ft	.50	.40	.30
4 In. pot, 2 to 3 It	.40	.30	.25
pycnantha (Golden Wattle), 6 in. pot, 6 to 8 ft verticillata (Star Acacia), 5 in. pot, 4 to 5 ft. 4 in. pot, 3 to 4 ft	1.25 .60	1.00 .50	.40
4 in. pot, 3 to 4 ft	.50	.40	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
2½ in. pot, 1 to 1½ ft	.20	.15	.10
ARRITUS menziesi (Madrone), 6 in not 11/4 to 2 ft	1.25	1.00	
ARBUTUS menziesi (Madrone), 6 in. pot, 1½ to 2 ft 6 in. pot, 1 to 1½ ft 5 in. pot, 8 to 12 in	1.00	.75	.60
5 in. pot, 8 to 12 in	.75	.60	.50
4 in. pot, 6 to 10 in	.50 .40	.40	.35
4 in. pot, 4 to 6 in	.35	.35 .25	.30
AUCUBA japonica (Japanese Aucuba), 5 in. pot, 6 to 10 in	.40	.30	
japonica variegata (Golddust Aucuba), 12 to 15 in	1.00	.75	
10 to 12 in	.75 .60	.60 .50	
5 in. pot, 1 to 1½ ft	.75	.60	
5 in. pot, 1 to 1½ ft	.40	.30	.25
3 in. pot, 2 to 4 in	.25	.20	.15
AZALEA hinodiegiri, 10 to 12 in	1.50	1.25	
BERBERIS atrocarpa, 3 to 4 ft	1.50	1.25	
2 to 3 ft	1.25	1.00	.75
1½ to 2 ft	1.00	.75	.60
darwini (Darwin Barberry), 3 to 4 ft	2.00	1.50	1.25
2 to 3 ft	1.50	1.00	.85
1½ to 2 ft	1.00	.75	.65 .50
4 in. pot. 1 to 11/6 ft.	.75 .40	.60 .30	.25
1 to 1½ ft. 4 in. pot, 1 to 1½ ft. 4 in. pot, 8 to 12 in. 3 in. pot, 6 to 10 in	.35	.25	.20
3 in. pot, 6 to 10 in	.25	.20	.15

BERBERIS-	(Continued)

BERBERIS—(Continued).			
	each	10	100
laevis, 3 to 4 ft	rate	rate	rate
laevis, 3 to 4 It	2.00	1.50	1.00
nruinosa 2 to 4 ft	$\frac{1.50}{1.50}$	$1.25 \\ 1.25$	1.00
2 to 3 ft	1.25	1.00	.75
1½ to 2 ft	1.00	.75	
stenophylla (Rosemary Barberry), 3 to 4 ft	1.25	1.00	
2 to 3 ft	1.00	.75	
3 in. pot, 1 to 1½ ft	$\frac{.25}{1.50}$.20	.15
viridis, 3 to 4 ft	1.50	1.25	
2 to 3 It	$\frac{1.25}{1.00}$	- 1.00	.75
wilcones (Wilcon Repharm) 2 to 214 ft	1.25	.75 1.00	.75
1½ to 2 ft.	1.00	.75	.60
1 to 1½ ft	.75	.60	.50
8 to 12 in	.65	.50	.40
4 in. pots, 1 to 1½ ft	.40	.30	.25
DEED TOTAL 1. 11 . 1/ 11. (TT 1/ 1 TO // CT 1 1)			
		.60	.50
5 in not 1 to 114 ft	.75 .35	.25	.50
farouhari 5 in pot 6 to 8 ft	.75	.60	.50
5 in. pot, 4 to 6 ft		.00	
findleyana (Lindley Butterflybush), 5 in. pot, 2 to 3 ft	.60	.50	.40
BUXUS sempervirens (Common Box), Globes, 15 to 18 in	0.00		
Globes, 15 to 18 in	2.00	1.50	1 00
12 to 15 in	1.50	1.25	1.00
6 to 8 in	1.25 .75	1.00 .60	.75 .50
Pyramids, 2 to 21/4 ft	2.50	2.00	1.75
1½ to 2 ft	2.00	1.75	1.50
10 to 12 in	1.25	1.00	
CALLISTEMON coccineus (Scarlet Bottlebrush), 4 in. pot, 3 to 4 ft			
4 in. pot, 3 to 4 it	.50	.40	.35
linearis A in not 2 to 4 ft	.40 .50	.35	.30 .35
phonicing 4 in not 2 to 2 ft	.40	.40 .35	.35
4 in. not. 1 to 2 ft.	.35	.30	.25
rigidus, 2 to 2½ ft	.75	.60	.50
4 in. pot, 2 to 3 ft	.40	.30	.25
mixed hybrids, 4 in. pot, 3 to 4 ft	.50	.40	.35
CASUARINA stricta (Beefwood), 4 in. pot, 1 to 1½ ft	.30	.25	
CEANOTHUS arboreus, 3 in. pot, 6 to 10 in	.30	.25	
arboreus hybridus, 4 in. pot, 1 to 1½ ft	.35	.30	.25
cyaneus (new), 2½ in. pot, 10 to 15 in	.50	.40	.30
thereiflorus (Rhighlessom) 5 in not 11/2 ft	.40 .40	.30 .30	.25 .25
CEANOTHUS arboreus, 3 in. pot, 6 to 10 in	.25	.20	.15
= /2 m, pos, 1 so 1/2 1 similarini	.20		410
CERATONIA siliqua (Carob), 5 in. pot, 1 to 1½ ft CHOISYA ternata (Mexican-Orange), 2 to 3 ft	.40	$\frac{.30}{1.25}$	
CHOISYA ternata (Mexican-Orange), 2 to 3 ft	1.50	1.25	
1½ to 2 ft	1.25	1.00	
CISTUS albidus (Whiteleaf Rockrose),			
4 in. pot, 1½ to 2 ft	.40	.30	.25
	.10	.00	.20
COPROSMA baueri (Coral Coprosma), 4 in. pot, 1½ to 2 ft, 2 yr			
4 in. pot, 1½ to 2 ft, 2 yr	.40	.30	.25
3 in. pot, 4 to 8 in	.25	.20	.15
COPONILIA glaves (Honor Coronilla)			
CORONILLA glauca (Honey Coronilla), 4 in. pot, 10 to 15 in	.30	.25	.20
2 M. povj 20 to 20 M		0	.20
COTONEASTER apiculata (new), 4 in. pot, 1 to 11/2 ft	.50	40	
dielsiana (applanata) (Diels Cotoneaster), 4 in. pot, 2 to 3 ft			
4 in. pot, 2 to 3 ft	.40	.30	.25
dielsiana elegans (schneideri), 21/4 to 3 ft.	1.50	1.25	
dielsiana elegans (schneideri), 2½ to 3 ft	1.00	.75	.60
1 to 1½ ft	.75	.60	.50
4 in. pot, 12 to 15 in	.40	.30	.25
4 in. pot, 8 to 12 in	.35	.25	.20
funnahati (Emanahat Catamagatan) hamiad 4 t. F ft	1.50	1.25	1.00
berried, 3 to 4 ft	1.25	1.00	.85
berried, 2 to 3 It	1.00	.85	.75
berried, 3 to 4 ft. berried, 2 to 3 ft. not berried, 2 to 3 ft. 1½ to 2 ft. 4 in. pot, 2 to 3 ft	.85 .75	.70 .60	.60 .50
4 in. not. 2 to 3 ft	.50	.35	.30
pov, a oo o Iv	.00	.00	.00

COTONEASTER—(Continued).			
	each	10	100
	rate	rate	rate
4 in. pot, 1½ to 2 ft	.40	.30	.25
3 in. pot, 1½ to 2 ft	.35	.25	.25 .20
2½ in. pot, 1 to 1½ ft	.25	.20	.15
frigida (Himalayan Cotoneaster), 6 to 8 ft	2.00	1.50	1.25
4 to 6 ft.	1.50	1.25	
5 in not 4 to 5 ft	.75		1.00
A in not 2 to A ft	.50	.60	.50
2 111, 100, 0 10 4 10	.50	.40	.35
COTONEASTER harroviana (new; the very best Coton-			
easter), 3 to 4 ft	9 00	1 77	1 50
0 to 9 ft	2.00	1.75	1.50
11/ +- 0 14	1.50	1.25	1.00
1/2 to 2 It	1.25	1.00	.75
1 to 1½ it	1.00	.75	.60
5 in. pot, 2 to 3 it	.60	.50	.40
1 to 1 tt. 1 to 1 ½ ft. 5 in. pot, 2 to 3 ft. 4 in. pot, 1 to 1½ ft. 3 in. pot, 1 to 1½ ft. 2½ in. pot, 8 to 12 in. 2½ in. pot, 6 to 8 in.	.50	.35	.30
3 in. pot, 1 to 1½ ft	.40	.30	.25
2½ in. pot, 8 to 12 in	.30	.25	.20
2½ in. pot, 6 to 8 in	.25	.20	.15
horizontalis (Rock Cotoneaster), 2 to 21/6 ft	1.50	1.25	1.00
1½ to 2 ft	1.25	1.00	.85
1 to 116 ft	1.00	.75	.00
horizontalis (Rock Cotoneaster), 2 to 2½ ft	.75	.60	
1 in not 116 to 2 ft	.75	.60	.50
4 in pot 1 to 11/4 ft	.50	.40	.35
4 III. pot, 1 to 1-72 It	.80		.50
microphylla (Rockspray), 1 to 1½ ft	.75	.60	
10 to 12 in	.65	.50	.40
8 to 10 in	.50	.40	.35
1 gal. can, 1½ to 2 ft	.75	.60	.50
4 in, pot, 8 to 12 in	.50	.35	.30
nonneas (Silverleef Cotonesster)			
pannosa (Silverleaf Cotoneaster), berried, 6 to 7 ft	0 50	2.25	2.00
berried, 6 to 7 It	2.50		
berried, 5 to 6 1t	2.00	1.75	1.50
berried, 4 to 5 It	1.50	1.25	1.00
3 to 4 It	1.25	1.00	.75
2 to 3 ft	1.00	.75	.60
1 gal. can, 3 to 4 ft	.00	.40	.35
4 in. pot, 3 to 4 ft	.40	.35	.30
4 in. pot, 1½ to 2 ft	.40	.30	.25
3 in. pot, 6 to 8 in	.30	.25	.20
2 to 3 to 4 ft	.25	.20	.15
praecox (new), 2 to 3 ft	1.25	1.00	
4 in not 1 to 11/4 ft	.50	.40	
4 111, pot, 1 to 172 10			
prostrata, 1½ to 2 ft	1.25	1.00	.75
prostrata, 1½ to 2 ft	1.00	.75	
salicifolia (Willowleaf Cotoneaster), 1½ to 2 ft	1.25	1.00	.75
1 to 1½ ft	1.00	.75	.60
4 in not 11/4 to 2 ft	.50	.40	.30
1 111 poly 1/2 to 2 1 1 1 1 1 1 1 1 1 1 1 1			****
simonsi (Simons Cotoneaster), berried, 4 to 5 ft	1.50	1.25	
berried, 3 to 4 ft	1.25	1.00	
2 to 3 ft	1.00	.75	
1½ to 2 ft	.75	.60	
1 to 1½ ft	.60	.50	
1½ to 2 ft	.40	.30	.25
zabeli, 3 to 4 ft	1.25	1.00	
zabeli, 3 to 4 ft	1.00	.75	
4 in pot 2 to 3 ft	.40	.30	
4 III. poo, 2 to 0 Italiani			
COTONEASTER STANDARDS (top g	rafted)	
CO201(211022110 01111111111111111111111111	,	,	
COTONEASTER dielsiana elegans (schneideri).			
COTONEASTER dielsiana elegans (schneideri), 5 in. pot, 2 ft. stem, 2 yr. heads	1.25	1.00	
0 III. 900, 2 10. Stein, 2 31. Houdstein			
francheti, 4 ft. st. 2 yr. hds	1.75	1.50	
francheti, 4 ft. st. 2 yr. hds	1.50	1.25	
harroviana, 3 ft. st. 2 vr. hds	2.00	1.75	
5 in, pot, 3 to 3½ ft, st, 2 yr, hds	1.75	1.50	
5 in. pot, 2 to 2½ st. 2 vr. hds	1.50	1.25	
5 in not, 316 to 4 ft. st. 1 yr. hds	1.50	1.25	
1 - 1 1 0 0 - 1 0 1 1	1.00		
horizontalis, 2 ft. st. 2 yr. hds	1.50	1.25	
b in. pot, 2 ft, st. 2 yr, hds	1.25	1.00	
4 in. pot, 2 to 2½ ft. st. 1 yr. hds	1.00	.75	
microphylla, 3 ft, st, 2 yr, hds	1.50	1.25	
microphylla, 3 ft. st. 2 yr. hds	1.00	.75	
microphylla thymifolia,	1 05	1.00	
4 In. pot, 2 to 2½ It. st. 2 yr. hds	1.25	1.00	
5 in. pot, 1/2 to 2 it. st. 2 yr. hds	1.00	.75	
4 in. pot, 2 to 2½ ft. st. 2 yr. hds	1.00		

COTONEASTER—(Continued).			
	each rate	10 rate	100 rate
pannosa, 4 ft. st. 2 yr. hds	2.00		
5 in. pot, 4 ft. st. 2 yr. hds	$1.50 \\ 1.00$	1.25 .75	
prostrata, 5 in. pot, 1½ to 2 ft. st. 2 yr. hds	1.25	1.00	
5 in. pot, 1 to 1½ ft. st. 1 yr. hds	1.00	.75	
pyrenaica, 5 in. pot, 1 ft. st. 2 yr. hds 5 in. pot, 1 to 1½ ft. st. 1 yr. hds	$1.25 \\ 1.00$	1.00 .75	
salicifolia, 4 in. pot, 3 ft. st. 1 yr. hds	1.00	.75	
CYTISUS canariensis (Canary Broom), 5 in. pot, 3 to 4 ft.	.50	.40	.30
3 in. pot, 1½ to 2 ft	.30 .25	.25 .20	.20 .15
maderensis magnifoliosus (Leafy Madeira Broom),	.20	.20	.10
1 gal. can, 6 ft	.75	.60 .50	.50
1 gal. can and 5 in. pot, 4 to 6 ft 4 and 5 in. pot, 3 to 4 ft	.60 .50	.40	.40 .30
4 in. pot, 2 to 3 ft	.40	.30	.25
racemosus (cuttings), (Easter Broom), 5 and 6 in. pot, 12 to 15 in 5 in. pot, 8 to 12 in	.75	.60	.50
5 in. pot, 8 to 12 in	.60	.50 .35	.40 .30
4 in. pot, 6 to 8 in	.50		.50
DIOSMA ericoides (Breath-of-Heaven), 2 to 2½ ft	$\frac{1.25}{1.00}$	1.00 .75	
1½ to 2 ft	.75	.60	۵۳
reevesi, 4 in. pot, 8 to 12 in	.40 .40	.30 .30	.25 .25
			.20
ERICA mediterranea hybrida (Darley Heath), 10 to 12 in	.75	.60	
ERIOBOTRYA japonica (Loquat), 3 to 4 ft	$\frac{1.25}{1.00}$	1.00	co.
2 to 3 ft	.75	.75 .60	.60 .50
1½ to 2 ft	.60	.50 .40	.40 .30
	•••	.10	
ESCALLONIA rubra glabriuscula (Red Escallonia), 1½ to 2 ft	1.25	1.00	
1 to 1½ ft 8 to 12 in	.75	.60	
sanguinea, 4 to 5 ft	.60 1.50	.50 1.25	
3 to 4 ft	1.25	1.00	
2 to 3 ft	1.00 .85	.85 .75	.75 .60
1 to 1½ ft	.75 .50	.60	.50
6 in. pot, 2 to 3 ft	.30	.40 .25	.20
EUCALYPTUS leucoxylon rosea (Pink Ironbark),			
5 in. pot, 6 to 7 ft	1.00	.85	.75
5 in. pot, 5 to 6 ft	.85 .75	.75 .60	.60 .50
4 in. pot, 3 to 4 ft	.65 .30	.50 .25	.20
	100		120.
EUONYMUS japonicus albomarginatus (Pearledge Burningbush), 1 to 1½ ft	.75	.60	
8 to 12 in		.50	
6 to 8 injaponicus aureomarginatus (Giltedge Burningbush),	.50	.40	
1½ to 2 ft	1.00	.75	.60
japonicus microphyllus (Boxleaf Burningbush),	.75	.60	.50
12 to 15 in	.75	.60	
japonicus microphyllus albovariegatus (Silveredge	.60	.50	
Boxleaf Burningbush), 4 to 6 in	.50	.35	
GENISTA elatior, 5 in. pot, 1 to 1½ ft	.50	.40	
GREVILLEA robusta (Silk-Oak), 6 in. pot, 4 to 5 ft		.60	.50
5 and 6 in. pot. 3 to 4 ft	65	.50	.40
4 and 5 in. pot, 2 to 3 ft	50	.40 .30	.30 .25
	-		
		1. 11	
27 (C.f.)		we still	
7			

	each rate	10	100
HYPERICUM moserianum (Goldflower),		rate	rate
HYPERICUM moserianum (Goldflower), 4 in. pot, 1 to 1½ ft	.40 .30	.30 .25	.25 .20
natulum henryi (Henry Hypericum).	.00	.20	.20
patulum henryi (Henry Hypericum), 6 in. pot, 4 to 5 ft	.75	.60	
4 in. pot, 2 to 3 ft	.50	.40	.30
ILEX aquifolum (English Holly) not berried, 6 to 8 ft	88.00 to	\$12.00 each	0.0
3 in. pot, 4 to 6 inaquifolium (Dutch Type), berried, 6 to 8 ft		.25	.20
berried, 5 to 6 ft. berried, 4 to 5 ft. berried, 3 to 4 ft. berried, 2 to 3 ft.	10.00		
berried, 4 to 5 ft	8.00		
berried, 2 to 3 ft.	4.00		
Van Tol, berried, 5 to 6 ft	10.00		
berried, 2 to 3 ft	8.00		
	0.00		
LAUROCERASUS officinalis (English Cherry-Laurel),	2.00	1.75	
3 to 4 ft	1.75	1.50	
1½ to 2 ft	1.25	1.00 .75	
	1.00	.10	
LEPTOSPERMUM laevigatum (Australian Tea-Tree), 1 gal. can, 4 to 5 ft	.75	.60	.50
4 in. pot, 3 to 4 ft	.60	.50	.40
4 in. pot, 2 to 3 ft	.50	.40	.35
21/4 in. pot. 3 to 4 in.	.40	.35 .15	.30 .10
	*20	.10	***
LICUSTRUM ovalifolium variegatum (Golden California Privet), 6 to 7 ft	3.00	2.50	
5 to 6 ft	2.50	2.00	
4 to 5 ft	2.00	$\frac{1.50}{1.25}$	1.00
2 to 3 ft	$\frac{1.50}{1.25}$	1.00	.75
I ONICEDA mitido (Por Honorquello) 2 to 4 ft	1.00	.75	.60
LONICERA nitida (Box Honeysuckle), 3 to 4 ft	.75	.60	.50
1½ to 2 ft	.65	.50	.40
1 to 1½ ft	.50	.40 .25	.35 .20
MATIONIA			
1½ to 2 ft	1.25	1.00 .85	.85 .75
MAHONIA aquifolium (Oregon Hollygrape), 2 to 3 ft	.75	.60	.50
8 to 12 in	.60	.50	.40
bealei (japonica) (Leatherleaf Hollygrape), 4 in. pot, 6 to 10 in	.40	.30	.25
MELALEUCA ericifolia (Heath Melaleuca), 5 in. pot, 3 to 4 ft	.75	.50	
2½ in. pot, 6 to 12 in	.25	.20	.15
hypericifolia (Dotted Melaleuca), 4 in. pot, 2 to 3 ft.	.35	.30	.20
MYRTUS communis (True Myrtle), 3 to 4 ft	$\frac{1.25}{1.00}$	1.00	.75 .65
2 to 3 ft	.75	.75 .60	.00
1 to 1½ ft	.60	.50	0.5
4 in, pot, 1 to 1½ it	.40	.30	.25
4 in. pot. 1½ to 2 ft	.60	.50	.40
4 in. pot, 1 to 1½ ft	.50	.40	.30
communis microphylla (Rosemary Myrtle), 4 in. pot, 1½ to 2 ft. 4 in. pot, 1 to 1½ ft. 4 in. pot, 8 to 12 in. 2½ in. pot, 4 to 8 in.	.20	.30 .15	.12
NANDINA domestica (Nandina), 3 to 4 ft	$\frac{2.00}{1.50}$	1.50 1.25	1.25 1.00
1½ to 2 ft	1.25	1.00	.75
1 to 1½ ft	$\frac{1.00}{.75}$.75	.60
4 in. pot, 8 to 12 in	.60	.60 .50 .25	.40
NANDINA domestica (Nandina), 3 to 4 it	.30		20
3 in. pot, 3 to 4 in	.25	.20	.15
NERIUM oleander (Common Oleander),			
Single Cerise, 2 to 3 ft	1.00	.75	
Single Pink, 2 to 3 ft	$\frac{1.00}{.75}$.75 .60	
Double Pink, 2 to 3 ft	1.00	.75	
		*	

	each rate	10 rate	100 rate
PAVONIA spinifex (new), 4 in. pot, 1 to 1½ ft	.50	.35	1440
PHOTINIA arbutifolia (Christmasberry; Toyon; California Holly), 5 gal. 5 to 6 ft	2.00	1.50	
fornia Holly), 5 gal. 5 to 6 ft	1.50	1.25	1 00
1 gal. 2 to 3 ft.	$\frac{1.25}{1.00}$	1.10 .85	1.00 .75
1 gal. 2 to 3 ft	.85	.70	.60
4 in. pot, 12 to 15 in	.50 .40	.40 .35	.35
glabra, 5 gal. can, 3 to 4 ft	1.25	1.00	
cormilate (Low Photinia) 3 to 4 ft	2.00	1.50	
2 to 3 ft	1.50	1.25	1.00
2 to 3 ft	$1.25 \\ 1.00$	1.00 .75	.75
PITTOSPORUM eugenioides (Tarata), 6 to 7 ft	1.50	1.25	
5 to 6 ft	$\frac{1.25}{1.00}$	1.00 .85	
9 to 9 ft	.75	.60	.50
1½ to 2 ft	.65	.50	.40
1½ to 2 ft. 4 in. pot, 2 to 3 ft	.40	.30 .25	.25 .20
phillyraeoides (Willow Pittosporum),	-00	.20	.20
6 in. pot, 4 to 5 ft	1.00	.75	
6 in. pot, 4 to 5 ft	.25	.20	.15
tonnifolium (nigricans) (Tawhiwhi) 7 to 8 ft	2.00	1.50	
6 to 7 ft	1.50 1.00	1.25 .75	
2 to 3 ft	.75	.60	
	2.00	1.50	
2 to 3 ft	1.50	1.25	1.00
1½ to 2 It	1.00 .75	.75 .60	.60 .50
tobira (10bira), 3 to 4 it	.65	.50	.40
4 in. pot, 1 to 1½ ft	.50	.35	.30
8 to 12 in	1.00 .75	.75 .60	
PRUNUS ilicifolia (Hollyleaf Cherry), 3 and 4 in. pot, 1½ to 2 ft	- 2		0.5
3 and 4 in. pot, 1½ to 2 ft	.50	.40 .35	.35 .30
3 and 4 in. pot, 6 to 10 in	.35	.30	.25
3 in. pot, 4 to 6 in	.30	.25	.20
lyoni (integrifolia) (Catalina Cherry), 4 in. pot, 1½ to 2 ft. 4 in. pot, 1 to 1½ ft. 4 in. pot, 8 to 12 in. 4 in. pot, 6 to 8 in.	-	40	0.5
4 in. pot, 1½ to 2 it	.50 .40	.40 .35	.35 .30
4 in. pot, 8 to 12 in	.35	.30	.25
4 in. pot, 6 to 8 in	.30	.25	.20
PYRACANTHA angustifolia (Narrowleaf Firethorn)			
4 to 5 ft	1.50	1.25	1.00
2 to 3 ft	$\frac{1.25}{1.00}$	1.00 .75	.75 .60
4 to 5 ft	1.50	1.25	
4 in. pot, 2 to 3 ft	50	.40	.30
coccinea (lalandi seedlings) (Firethorn), 4 to 5 ft	$\substack{1.50\\1.25}$	$\frac{1.25}{1.00}$	1.00 .75
2 to 3 ft	1.00	.75	•••
coccinea (lalandi seedlings) (Firethorn), 4 to 5 ft 3 to 4 ft	1.25	1.00	20
4 in. pot, 1 to 1½ it	.30	.25	.20
coccinea lalandi (cuttings), (Laland Firethorn),	2.50	2.00	
4 to 5 ft	2.00	1.50	1.25
2 to 3 ft	$\frac{1.50}{1.25}$	$1.25 \\ 1.00$	1.00 .75
1 to 1½ ft	1.00	.75	.60
graited, 4 in. pot	.50	.40	.30
crenulata (Nepal Firethorn), 5 to 6 ft	2.00	1.75	1.50
4 to 5 ft	1.75	$1.50 \\ 1.25$	$\frac{1.25}{1.00}$
2 to 3 ft	1.25	1.00	.75
4 and 5 in. pot, 2 to 3 ft	.50	.40	.30
formosana (new) (Formosa Firetham)	40	.30	.25
formosana (new) (Formosa Firethorn), 5 gal. can and tubs, 3 to 4 ft	1.50	1.25	
kansuensis (new) (Kansu Firethorn) 2 to 3 ft	1.50	1.25	
1½ to 2 ft	1.25	1.00	.85
5 in. pot. 2 to 3 ft	.75	.75 .60	.65 .50
	.10	.00	.00

	each	10	100
4 in. pot, 1½ to 2 ft	rate .60	rate .50	rate
4 in. pot, 1 to 1½ ft	.50	.40	.30
3 in. pot, 10 to 15 in	.40	.30	.20
4 in. pot, 1 to 1½ ft	$1.75 \\ 1.25$	$1.50 \\ 1.00$	
5 in. pot, 3 to 4 ft	.75	.60	.50
5 in. pot, 2 to 2½ ft	.60	.50	.40
5 in. pot, 1½ to 2 ft	.50	.40	.30
DADITION EDIC in dies many (Diels In die Many)	.40	.30	.28
grafted, 4 in. not. 4 to 8 in.	.50	.40	.30
umbellata ovata (Roundleaf Yeddo-Hawthorn),	.00	•40	••0
4 in. pot, 1 to 1½ ft	.40	.30	.28
RAPHIOLEPIS indica rosea (Pink India-Hawthorn), grafted, 4 in. pot, 4 to 8 in umbellata ovata (Roundleaf Yeddo-Hawthorn), 4 in. pot, 1 to 1½ ft	.30 .25	.25	.20
CALVIA loventhe (Movies Pack Com)	.20	.20	.18
SALVIA leucantha (Mexican Bush Sage), 4 in. pot, 2 to 3 ft	.50	.40	.38
SCHINUS molle (California Peppertree),		***	
5 in. pot, 5 to 6 ft	.75	.60	.50
5 in. pot, 5 to 6 ft	.60	.50	.40
SPARTIUM junceum (Spanish Broom; Weavers			
Broom), 4 in. pot, 2 to 3 ft	.40	.30	.28
CONTROLLIA disconifolia (Plack Vermaione)	.30	.25	.20
STERCULIA diversifolia (Black Kurrajong), 8 and 10 in. pot, 4 to 6 ft	.60	.50	
STRANVAESIA undulata, 5 in. pot, 1 to 1½ ft	.50	.40	.38
	.00	.20	.00
TAXODIUM mocronatum (Montezuma Cypress), 3 in. pot, 1 to 1½ ft	.50	.40	
TEMPLETONIA retusa (Melhourn Coralbush).			
TEMPLETONIA retusa (Melbourn Coralbush), 5 in. pot, 2 to 3 ft	.75	.60	
TRISTANIA conferta (Brisbane Box),			
TRISTANIA conferta (Brisbane Box), 4 in. pot, 1½ to 2 ft 4 in. pot, 1 to 1½ ft	.50	.40	.30
4 in. pot, 1 to 1½ ft	.40	.30	.2
ULMUS parvifolia (Chinese Elm), (evergreen), 5 in. pot, 4 to 5 ft	.75	.60	.50
5 in. pot. 3 to 4 ft	.60	.50	.00
VERONICA huvifolia 8 to 10 in	.60	.50	.40
6 to 8 in	.50	.40	.31
4 to 6 in	.40	.35	.30
3 in. pot, 4 to 6 in	.25	.20	.18
chathamica, 3 in. pot, 4 to 6 in	.25	.20	.18
cupressoides, 3 ft	$\frac{2.50}{2.00}$	2.00	
2½ to 3 ft	1.50	$\frac{1.75}{1.25}$	
1½ to 2 ft	1.25	1.00	.78
1 to 1½ ft	1.00	.75	.60
6 to 8 in	.75 .50	.50 .40	.40
1 1 (D) 0 1 1) 1 11 11 0	.60	.50	.40
decussata (Blue Speedwell), 1 to 1½ ft	.50	.40	.35
4 in. pot, 8 to 12 in	.30	.25	.20
hulkeana, 1½ to 2 ft	.75 .60	.60 .50	.40
imperial's (Imperial Speedwell), 1 to 1½ ft	.75	.60	.50
8 to 12 in	.60	.50	.40
4 in. pot, 8 to 12 in	.30	.25	.20
6 to 8 in	.75 .60	.60 .50	
pimelioides, 3 and 4 in. pot, 4 to 6 in	.25	.20	.18
VIRIIRNIIM odoratissimum (Sweet Viburnum)			
1½ to 2 ft	1.00	.85	
1 to 1½ ft	$\frac{.75}{2.00}$	$\frac{.60}{1.50}$	
1½ to 2 ft	1.50	1.25	
3 to 4 It	1.25	1.00	
4 in not 2 to 3 ft	.75	.60	.40
4 in. pot, 1½ to 2 ft	.60 .50	.50 .40	.35
tinus (Laurustinus), 3 to 3 ½ ft	1.50	1.25	
2 to 3 ft	1.00	.85	.78
1½ to 2 ft	.85 .75	.70 .60	.60
3 in. pot. 6 to 8 in	.25	.20	.18
tinus lucidum (Shining Laurustinus), 2 to 3 ft	1.25	1.00	.75
1½ to 2 ft	1.00	.75	.60
tinus (Laurustinus), 3 to 3 ½ ft	.85	.65 .50	
0 W 12 III	.00		

FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots. (N. B. Our Flowering Cherries and Peaches are grown outside the borer district so can be shipped anywhere)

district so can be snipped anyv	ilere)		
FLOWERING APPLES			
	each rate	10 rate	100 rate
MALUS floribunda (Japanese Flowering Crab), 6 to 8 ft	1.25	\$1.00	1440
4 to 6 ft	1.00	.75 .60	
MALUS floribunda (Japanese Flowering Crab), 6 to 8 ft 4 to 6 ft	1.25	1.00	.75
3 to 4 fthalliana parkmanni (Parkman Crab), 4 to 6 ft	1.00	$\frac{.75}{1.00}$.60 .75
3 to 4 ft	1.00	.75	.60
2 to 3 ft	.75	.60	.50 .85
ioensis bechteli (Bechtel Crab), 4 to 6 ft	1.00	$\frac{1.00}{.75}$.65
2 to 3 ft	.75	.60 .50	.50 .40
1½ to 2 ft	1.25	1.00	,40
niedzwetzkyana (Redvein Crab), 8 to 10 ft	1.50	1.25	.75
4 to 6 ft	1.25	1.00 .75	.60
scheideckeri (Scheidecker Crab), 6 to 8 ft	1.25	1.00	.75
4 to 6 ft	1.00	.75 1.00	
4 to 6 ft	1.00	.75	.60
"Large Flesh Pink", 8 to 10 ft	2.00	$1.50 \\ 1.00$.75
spectabilis (Chinese Flowering Crab), 6 to 8 ft	1.00	.75	.10
FLOWERING APRICOTS			
PRUNUS mume (Japanese Apricot), Dawn, 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.65	.50	.40
2 to 3 ft	.50	.40	
5 gal. can, 4 to 5 ft	1.25	$\frac{1.00}{1.00}$	
3 to 4 ft	.75	.60	
3 to 4 ft	.60	.50	
FLOWERING CHERRIES			
DOUBLE PINK-An excellent but unidentified double	2 50	2.00	1 75
DOUBLE PINK-An excellent but unidentified double	2.50 2.00	2.00 1.75	1.75 1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.00		
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft		1.75	
DOUBLE PINK-An excellent but unidentified double	2.50 2.00 2.00		
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft		1.75	
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft		1.75	
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft		1.75	
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00	1.75 1.50	
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00	1.75 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00	1.75 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00	1.75 1.50 2.25 1.50	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00 2.50	1.75 1.50 2.25 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00	1.75 1.50 2.25 1.50	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00 2.50	1.75 1.50 2.25 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00 2.50	1.75 1.50 2.25 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50	1.75 1.50 2.25 1.50 2.25 1.75	1.25
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50 2.50 2.25	1.75 1.50 2.25 1.50 2.25	1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50 2.50 2.25	1.75 1.50 2.25 1.50 2.25 1.75	1.25
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50 2.50 2.25	1.75 1.50 2.25 1.50 2.25 1.75	1.25
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50 2.50 2.25 2.00	1.75 1.50 2.25 1.75 2.25 2.25 1.75	1.25 1.25 2.00 1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.00 2.50 2.50 2.25 2.00	1.75 1.50 2.25 1.75 2.25 2.25 1.75	1.25 1.25 2.00 1.50
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.50 2.50 2.50 2.50 2.50 2.25 2.00 2.25 2.00	1.75 1.50 2.25 1.50 2.25 1.75 2.25 2.00 1.50 2.25 2.10 2.25 2.10 2.25 2.10 2.25	1.50 1.25 2.00 1.50 an only hown. 100
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.50 2.00 2.50 2.50 2.00 2.50 2.25 2.00 2.00	1.75 1.50 2.25 1.50 2.25 1.75 2.25 2.00 1.50 cut. We cut heights s	1.50 1.25 2.00 1.50 an only hown.
DOUBLE PINK—An excellent but unidentified double Japanese variety, 4 to 6 ft	2.00 2.50 2.00 2.50 2.00 2.50 2.25 2.00 y sold coworked acherate	1.75 1.50 2.25 1.50 2.25 1.75 2.25 2.00 1.50 2.25 2.10 2.25 2.10 2.25 2.10 2.25	1.50 1.25 2.00 1.50 an only hown. 100

FLOWERING PLUMS

	each	10	100
	rate	rate	rate
PRUNUS blirieana (purple leaves, double pink flowers),			
4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	.50
5 gal. can, 4 to 5 ft	1.25	1.00	
triloba (Flowering Plum), 4 to 6 ft	.75	.60	
3 to 4 ft	.60	.50	
triloba fl. pl. (Double Flowering Plum), 3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	
"Vesuvius" (large purple leaves), 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	
			-

ROSES

We handle roses very extensively, both budded and own roots. The latter are practically sold out for this season. Revised list on budded roses will be sent out as soon as present orders are filled and recounts made. Meanwhile we shall be glad to make quotations on request and send our descriptive list covering most of the newer roses and the best of the old.

PLEASE NOTE

This price list covers only stock offered by Clarke Nursery Co., San Jose, Calif.

We also act as sole marketing agents for several other concerns and handle many good lines on a brokerage basis, so are in a position to supply almost anything produced on the Pacific Coast in

NURSERY STOCKS, ROSES and BULBS

Inquiries on any of these lines will receive prompt attention.

IMPORTANT

Be sure to note at once Special Offer on last page.

DECIDUOUS TREES

All plants in this section will be dug with bare roots.

The plants in this section will be was well	each	10	100
ACER dasycarpum (Silver Maple), 6 to 8 ft	rate 1.00	rate .75	rate .60
4 to 6 ft	.75	.60	.50
platanoides (Norway Maple), 6 to 8 ft	1.00	.85	.75
4 to 6 ft	.85	.70	.60
platanoides schwedleri (Schwedler Maple), 4 to 6 ft 3 to 4 ft	.85 .75	.75 .60	.50
saccharum (Sugar Maple), 4 to 6 ft	1.00	.75	•••
3 to 4 ft	.75	60	.50
	.50	.40	.35
BETULA alba (European White Birch), 10 to 12 ft	2.00	1.50	
pendula gracilis (Cutleaf Weeping Birch),	1.75	1.50	1.25
6 to 7 ft	1.50	1.25	
4 to 5 ft	1.25	1.00	.75
3 to 4 ft	1.00	.75	.60
pendula youngi (Young Weeping Birch), 6 to 7 ft 5 to 6 ft	$\frac{1.75}{1.50}$	$\frac{1.50}{1.25}$	
			c o
CATALPA speciosa (Western Catalpa), 6 to 8 ft	1.00 .75	.75 .60	.60
	•••	•••	
CRATAEGUS carrierei (Carriere Hawthorn),	1.50	1.25	
1 year buds, 6 to 8 ft	1.25	1.00	.75
1 year buds, 3 to 4 ft	1.00	.75	
2 year buds, 6 to 8 ft	1.75	1.50	
2 year buds, 4 to 6 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	
2 year buds, 3 to 4 ft	1.00	.75	
coccinioides, 2 to 3 ft	.75	.60	
cordata (seedlings), (Washington Hawthorn),			
4 to 6 ft	.75	.60	.50
3 to 4 ft	.60	.50	.40
2 to 3 ft	.50	.40	
cordata (budded) (Washington Hawthorn), 6 to 8 ft	1.50	1.25	
4 to 6 ft	1.25	1.00	.75
3 to 4 ft	1.00	.75	.60
lavallei (Lavalle Hawthorn), 6 to 8 ft	1.50	1.25	
oxyacantha Double Pink (Double Pink Hawthorn),	1.50	1.25	
1 year buds, 8 to 10 ft	1.25	1.25	1.00
1 year buds, 4 to 6 ft	1.00	.85	.75
1 year bcds, 3 to 4 ft	.75	.65	
2 year buds, 8 to 10 ft	1.75	1.50	
1 year buds, 4 to 6 ft	$\substack{1.25\\1.00}$	$1.00 \\ .75$	
oxyacantha Double White (Double White Hawthorn)			
oxyacantha Double White (Double White Hawthorn), 1 year buds, 4 to 6 ft	1.00	.75	.60
1 year buds, 3 to 4 ft	.75	.65	
2 year buds, 8 to 10 ft	1.50	1.25	
2 year buds, 6 to 8 ft	1.25	1.00	
oxyacantha splendens (Paul Double Scarlet Haw- thorn), 1 year buds, 8 to 10 ft	1.50	1.25	1.00
1 year buds, 6 to 8 ft	1.25	1.00	.85
1 ver budg 4 to 6 ft	1.00	.75	.65
2 year buds, 8 to 10 ft	2.00	1.60	1.50
2 year buds, 8 to 10 ft	$\frac{1.50}{1.25}$	$1.35 \\ 1.10$	$\frac{1.25}{1.00}$
2 year buds, 3 to 4 ft.	1.00	.85	.75
GINKGO biloba (Maidenhair Tree), 10 to 12 ft	2.50	2.00	
4 to 6 ft	1.25	1.00	
LABURNUM vossi (new; long clustered), 4 to 6 ft	1.50	1.25	
3 to 4 ft	1.25	1.25	
2 to 3 ft	1.00	.75	
vulgare (Goldenchain), 3 to 4 ft	.60	.50	.40
LIRIODENDRON tulipifera (Tuliptree).			
LIRIODENDRON tulipifera (Tuliptree), 4 in. pot, 2 to 3 ft.	.50	.40	.35
4 in. pot, 1 to 2 ft	.40	.30	.25
MORUS alba pendula (Weeping Mulberry),			
2 year heads, 7 ft. stem	2.50	2.00	1.75
1 year neads, b to 8 It	1.75	1.50	1.25

MORUS-(Continued).	each rate	10 rate	100 rate
1 year heads, 5 to 6 ft	1.50	1.25	1.00
1 year heads, 5 to 6 ftnigra (Persian Mulberry), 8 to 10 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	
	1.00	.75	
PISTACIA chinensis (Chinese Pistache), 4 in. pot, 1 to 1½ ft	.40	.30	.25
PLATANUS orientalis (European Planetree; European Sycamore; Oriental Plane), 12 to 14 ft			
Sycamore; Uriental Plane), 12 to 14 it	$\frac{2.50}{2.25}$	$\frac{2.00}{1.75}$	1.50
8 to 10 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	.75
5 to 6 ft	1.00 .75	.75	.60
3 to 4 ft	.60	.60 .50	.50 .40
from beds; 1 year, 4 to 5 ft	.35	.30	.25
from beds; 1 year, 3 to 4 ft	.30	.25	.20
from beds; I year, 2 to 3 it	.25	.20	.15
racemosa (California Planetree; California Sycamore), 4 to 6 ft	1.00	.85	.75
3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	
POPULUS bolleana (Bolleana Poplar), 8 to 10 ft	1.50	1.25	
4 to 6 ft	1.00	.75	
3 to 4 ft	.75	.60	
nigra italica (Lombardy Poplar), (branched from base; never pruned), 8 to 10 ft	1.05	1.00	
6 to 8 ft	$\frac{1.25}{1.00}$	1.00 .75	.75 .60
4 to 6 ft	.75	.60	.50
simoni fastigiata (Narrow Simon Poplar), 8 to 10 ft.	1.00	.75	.60
6 to 8 ft	.75	.60	.50
4 to 6 ft	.60 .50	.50 .40	.40 .30
on "Florando Pontor" (now) 10 to 19 ft	2.00	1.50	1.25
sp. "Flagpole Poplar" (new), 10 to 12 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	.75
4 to 6 ft	.75	.60	.50
5 W 4 It	.60	.50	.40
tremula pendula (Weeping European Aspen; Weeping Poplar), top worked, 8 to 10 ft, stem	2.50	2.00	
Weeping Poplar), top worked, 8 to 10 ft. stem top worked, 6 to 8 ft. stem	2.00	1.50	
ROBINIA hispida macrophylla (Smooth Rose-Acacia).			
ROBINIA hispida macrophylla (Smooth Rose-Acacia), top worked, 6 to 8 ft., 2 year	2.50	2.00	
top worked, 6 to 8 ft., 1 year	2.00	1.75	
low budded 4 to 6 ft	$\frac{1.25}{1.00}$	1.00 .75	
kelsevi (new) (Kelsev Locust) 10 to 12 ft	2.00	1.50	1.25
kelseyi (new) (Kelsey Locust), 10 to 12 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	
4 to 6 it	$\frac{1.00}{.75}$.75 .60	.60
pseudacacia (Common Locust), 12 to 14 ft	1.50	1.25	
10 to 12 ft	1.25	1.00	
10 to 12 ft	1.00	.85	
pseudacacia decaisneana (Decaisne Locust; Pink			
Locust), 14 to 16 ft	2.50	2.00	1.75
12 to 14 ft	$\frac{2.25}{2.00}$	$\frac{1.75}{1.50}$	$\frac{1.50}{1.25}$
8 to 10 ft	1.50	1.25	1.00
6 to 8 ft	1.25	1.00	.75
SALIX babylonica (Babylon Weeping Willow), 10 to 12 ft	2.00	1.50	
8 to 10 ft	$\frac{1.50}{1.25}$	1.25	
6 to 8 ft	1.00	1.00 .75	.60
3 to 4 ft	.75	.60	.50
SORBUS aucuparia (European Mountain-Ash), 6 to 8 ft	1.25	1.00	
4 to 6 it	1.00	.75	.60
TILIA americana (American Linden), 12 to 14 ft	2.00	1.75	
10 to 12 ft	$1.75 \\ 1.50$	$1.50 \\ 1.25$	
TILIA americana (American Linden), 12 to 14 ft	1.25	1.00	
4 to 6 it	1.00	.75	
ULMUS americana (American Elm), 10 to 12 ft	1.25	1.00	.75
8 to 10 ft	$\frac{1.00}{.75}$.75 .60	.50
4 to 6 ft	.65	.50	.00

DECIDUOUS SHRUBS

Unless otherwise noted all plants in this section will be dug with bare roots.

	each rate	10 rate	100 rate
CALYCANTHUS floridus (Common Sweetshrub),	.60	\$.50	
2 to 2½ ft	.50	.40	.30
CARYOPTERIS incana (Common Bluebeard; Blue Spirea),			
4 to 5 ft	.75	.50	.40
3 to 4 ft	.60 .50	.40 .35	.35
	.50	.00	.50
CAESALPINIA gilliesi (Poinciana gilliesi) (Bird of	1 00	75	
Paradise), 5 to 6 ft	$\frac{1.00}{.75}$.75 .60	
3 to 4 ft	.60	.50	0.5
3 and 4 in. pot, 4 to 8 in	.40	.30	.25
CYDONIA japonica (Flowering Quince; Japanese Quince) seedlings, 3 to 3½ ft	.75	.60	.50
seedlings, 3 to 3½ ft	.50	.40 .30	.35 .25
Tananasa Saarlat Ovince cuttings 2 to 21/4 ft	.40 .75	.60	.50
Japanese Scarlet Quince, cuttings, 2 to 2½ ftcuttings, 1 to 1½ ft	.50	.40	.35
japonica "Blood Red", cuttings, 2 to 3 ft	1.00	.75	
DEUTZIA gracilis (Slender Deutzia), 1½ to 2 ft	.40	.30	.25
lemoinei (Lemoine Deutzia), 2 to 3 ft	.50	.40	.20
1½ to 2 ft	.40	.30	
1 to 1½ ft	.30	.25	
magnifica (new), 6 to 8 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	
5 to 6 ft	1.00	.75	
rosea (Rose Panicle Deutzia), heavy specimens, 6 to 7 ft			
6 to 7 ft	$\frac{1.50}{1.00}$	1.25 .75	.60
3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	.35
1½ to 2 ftscabra candidissima (Snowflake Deutzia),	.40	.30	.25
6 to 8 ft	1.00	.75	
4 to 6 ft	.75	.60	
scabra Pride of Rochester, 4 to 5 ft	.75	.60 .40	.40 .30
3 to 4 ft	.50 .40	.30	.80
		.60	.50
EXOCHORDA racemosa (Common Pearlbush), 4 to 6 ft	.75 .65	.50	.40
2 to 3 ft	.50	.40	.30
FORSYTHIA intermedia (Border Forsythia), 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.60	.50	.00
intermedia spectabilis (Showy Border Forsythia),			
6 to 8 ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$.75
3 to 4 ft	1.00	.75	.50
2 to 3 ft	.75	.60	.40
suspensa fortunei (Fortune Weeping Forsythia), 6 to 8 ft	1.25	1.00	
4 to 6 ft	1.00	.65	.50
HIBISCUS syriacus (Shrub Althea), assorted, 4 to 6 ft 3 to 4 ft	$\frac{1.00}{.75}$.75 ,60	
2 to 3 ft	.60	.50	

HYDRANGEA paniculata grandiflora (Peegee), 1 to 1½ ft	.50	.35	
8 to 12 in	.40	.25	
WEDDIA demonstra di mi (Doniel Wing) and di		20	
KERRIA japonica fl. pl. (Double Kerria), 3 to 4 ft	.75 .60	.60 .50	.40
1½ to 2 ft	.50	.40	
TIPPIA situidana (Lamon Verbora) 4 to 5 ft	75	20	
LIPPIA citriodora (Lemon Verbena), 4 to 5 ft	.75	.60 .50	
2 to 3 ft	.50	.40	

	each rate	10 rate	100 rate
PHILADELPHUS (Mockorange),		raic	Tau
Albatre (new), 3 to 4 ft	1.00	.75	
4 to 5 ft	.75	.60	
3 to 4 ft	.60	.50	
Bouquet Blanc (new), 3 to 4 ft	.60 .50	.50 .40	
coronarius (Sweet Mockorange), 4 to 5 ft	.75 .50	.60 .40	.30
Dame Blanche (new), 3 to 4 ft	.75	.60	
2 to 3 ft	.60	.50	
Favorite (new), 6 to 8 ft	$1.50 \\ 1.00$	1.25 .75	.60
4 to 6 ft	.75	.60	
2 to 3 ft	.60	.50	
Girandole (new), 2 to 3 ftgrandiflorus (Big Scentless Mockorange), 4 to 6 ft	.75 .75	.60 .60	.50
3 to 4 ft	.60	.50	.40
2 to 3 ft	.50	.40	.30
Mont Blanc (new), 2 to 3 ft	.75	.60	
sp. Very large flowered, 6 to 8 ft	$\frac{1.50}{1.00}$	1.25 .75	
3 to 4 ft	.75	.60	
2 to 3 ft	.60	.50	
Sylvaine (new), 2 to 3 ft	.75	.60	
Virginal, 4 to 5 ft	1.00 .60	.75 .50	
2 00 0 10	.00	.00	
PUNICA granatum (Pomegranate),			
Double Yellow, 4 to 6 ft	.75	.50	.40
3 to 4 ft	.60 .50	.40 .35	
Double Scarlet, 4 to 6 ft	1.25	1.00	
3 to 4 ft	.75	.60	.50
3 to 4 ft	.65 .50	.50 .40	.40 .35
Mme Legrelle (variegated flowers), 4 to 5 ft	1.50	1.25	
2 to 3 ft	.75	.60	
1 to 2 ftnana (Dwarf Pomegranate), 1½ to 2 ft	.50 1.00	.40	
1 to 1½ ft	.75	.75 .50	
1 to 1½ ft	.50	.40	
6 to 8 in	.40	.35	
price is 15c higher on all sizes and grades.			
5 in. pot, 1 to 1½ ft	.75	.60	
4 in. pot, 8 to 10 in	.50	.40	.30
SALIX (French Pussy Willow), 6 to 8 ft	.75	.50	.40
4 to 6 ft	.50	.40	.35
3 to 4 ft	.40	.35	.30
vitellina aurea (Russian Golden Willow), 6 to 8 ft 4 to 6 ft	.75 .50	.60 .40	.30
3 to 4 ft	.40	.30	.25
CDIDEA Anthony Waterer (Anthony Waterer Spires)			
2 to 3 ft	.75	.60	.50
SPIREA Anthony Waterer (Anthony Waterer Spirea), 2 to 3 ft	-60	.50	.40
billiardi (Billiard Spirea), 4 to 5 ft	.50 .50	.40	.30
3 to 4 ft	.40	.30	.25
3 to 4 ft	.35	-25	.20
froebeli (new; red flowering; excellent), (Froebel Spirea), ½ to 2 ft	.60	Fo	40
1 to 1½ ft	.50	.50 .40	.40 .30
prunifolia plena (Double Bridalwreath),			
1½ to 2 ft	.60	.50	.40
	.50	.40	
reevesiana lanceata (cantoniensis fl. pl.), (Double Reeves Spirea), 3 to 4 ft	.75	60	.50
2 to 3 ft	.60	.50	.40
thunbergi (Thunberg Spirea), 2½ to 3 ft	.50 .75	.60	.30
1½ to 2 ft	.60	.50	

SPIREA—(Continued).			
	each	10	100
	rate	rate	rate
vanhouttei (Vanhoutte Spirea), 4 to 6 ft	.75	.50	.40
3 to 4 ft	.50	.40	.35
2 to 3 ft	.40	.35	.30
SYRINGA persica (Persian Lilac), 4 to 5 ft	1.00	.85	.75
3 to 4 ft	.75	.60	.50
vulgaris (Common Lilac) (purple), 3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	.40
1½ to 2 ft	.50	.40	.30
vulgaris, Named Varieties, General Collection,		.10	
2 year buds, 3 to 4 ft	1.25	1.00	
2 year buds, 2 to 3 ft	1.00	.75	
2 year buds, 1½ to 2 ft	.75	.60	
2 year buds, 1 to 1½ ft		.50	
1 year buds, various heights		.50	.40
vulgaris. New Varieties.	,		
1 year buds, various heights	1.00	.75	.65

GENERAL COLLECTIONS OF NAMED VARIETIES OF LILACS

Double:

CHAS. SARGENT-Violet mauve blended sky blue; enormous flowers and clusters. GEORGES BELLAIR—Buds bright carmine, opening to reddish purple; dwarf habit. HIPPOLYTE MARINGER-Purplish-mauve; compact flowers; very free. JEAN BART-Rosy-violet, buds carmine.

LA TOUR D'AUVERGNE-Dark lilac, good.

LEON GAMBETTA-Pink-lilac, early; round, regular imbricated flowers. MAXIMOWICZ-Violet-heliotrope, reverse silvery; enormous flowers. MISS ELLEN WILLMOTT-Snow white; elegant spikes; fine large flowers.

ROSEA GRANDIFLORA-Rosy-lilac; fine panicles; early.

VICTOR LEMOINE-Azure-mauve, fading paler; beautiful large flowers.

Single:

CHRISTOPHE COLOMB-Light lilac, buds purple; very fine and large. CONDORCET-Semi-double, bluish mauve; flowers and thyrses large. DE MIRIBEL-Dark bluish-violet; long compact panicles; very fine. DR. BREITSCHNEIDER-Purple in bud, opening pale pink; late. DR. LINDLEY-Brilliant violet-purple, buds red; very beautiful. EDMOND BOISSIER-Purple lilac, purplish-carmine buds; flowers large. GLOIRE DE LORRAINE-Dark lilac : late. LUTECE-Pink; very late. MARIE LEGRAYE-White; very early.

NIGRICANS-Lilac: fine.

PERLE VON STUTTGART-Pure White.

SOUV. DE LUDWIG SPAETH-Dark Purple.

NEW VARIETIES

The varieties marked * belong to a new class of Lilac, the "Early Lilacs," a cross between one of the early flowering Lilacs and Syringa Giraldi; this latter Lilac has been recently introduced from China and is remarkable for its flowering a week or two before the other sorts. This cross originated a new race of tall growing Lilacs which expand their flowers before those now known.

*BERRYER-Semi-double; long thyrses of mauve flowers.

*CLAUDE BERNARD-Double or semi-double; bright mauve lilac.

EMILIE GENTIL-Double; large imbricated flowers, bright cobalt-blue; a very rare shade among Lilacs.

JEAN MACE—Double; broad, compact panicles, irregular flowers, changing to bluish; an early and very floriferous variety.

*LAMARTINE—Single; large clusters of rosy-mauve flowers; a very strong grower. MARECHAL LANNES-Double; a most beautiful variety with very large individual flowers; semi-double to double; bluish violet.

*MIRABEAU-Single; mauve, the earliest of all.

*PASCAL-Single; pure lilac; very free.

PRESIDENT FAILLIERES-Double; immense clusters; pale lavender.

PRESIDENT LOUBET-Double; large purple flowers with red buds, a very distinct variety.

*VAUBAN-Double; tender pinkish mauve.

VESTALE—Single; large pure white panicles, perfectly shaped flowers.

e	ach	10	100
r	ate	rate	rate
TAMARIX pentandra (Five Stamen Tamarix), 4 to 6 ft	.75	.60	.50
3 to 4 ft	.65	.50	.40
	1.25	1.00	
	1.00	.75	
2 to 3 ft	.75	.60	
	1.00	.75	
nana variegata (Dwarf Variegated Weigela)			
2 to 3 ft	.60	.50	
1½ to 2 ft	.50	.40	
1 to 1½ ft	.40	.35	
Assorted, 4 to 6 ft	1.00	.60	.50
3 to 4 ft	.75	.50	.40
2 to 3 ft	.60	.40	.30
1½ to 2 ft	.50	.35	
amabilis (Rose Weigela).			
candida (Snow Weigela).			
Chameleon, pink to white.			
gigantiflora, pink.			
rosea (Pink Weigela).			
Tosea (I IIIA Weigela).			

CLIMBERS

	each rate	10 rate	100
BIGNONIA grandiflora (Chinese Trumpet Creeper),			rate
4 in. pot, 1½ to 2 ft\$.50	\$.40	\$.35
radicans (Trumpet Creeper), 3 to 4 ft	.60	.50	.40
2 to 3 ft	.50	.40	.30
1 to 2 ft	.40	.30	.25
4 in. pot, 2 year	.40	.30	.25
EUONYMUS radicans acutus (Sharpleaf Wintercreeper), 4 in. pot, 1½ to 2 ft			
4 in. pot, 1½ to 2 ft	.40	.30	.25
	.30	.25	.20
radicans vegetus (Bigleaf Wintercreeper), 4 in. pot, 1½ to 2 ft	.40	.30	.20
HARDENBERGIA comptoniana, 4 in. pot, 1 to 1½ ft	.40	.30	
3 in. pot, 6 to 12 in	.30	.25	
monophylla (rosea) 4 in. pot, 2 to 3 ft	.40	.30	.25
monophylla alba, 4 and 5 in. pot, 2 to 3 ft	.40	.30	.20
	•40	.00	.20
JASMINUM beesianum (Rosy Jasmine), 4 in. pot, 3 to 4 ft		7.	
4 in. pot, 3 to 4 ft	.50	.35	.25
4 in. pot, 2 to 3 ft	.40	.30	.20
primulinum (Primrose Jasmine), 5 in. pot, 4 to 5 ft.	.75	.50	.40
4 in. pot, 3 to 4 ft	.50	.40	.35
3 in. pot, 1½ to 2 ft	.35	.25	.20
LONICERA japonica aureoreticulata (Yellownet Jap-			
anese Honeysuckle), 4 in. pot, 3 to 4 ft	.40	.30	.25
japonica chinensis (Purple Japanese Honeysuckle), 5 in. pot, 4 to 5 ft	.50	.40	.30
4 in. pot, 2 to 3 ft	.35	.25	.20
japonica halliana (Hall Japanese Honeysuckle),			
japonica halliana (Hall Japanese Honeysuckle), 4 in. pot, 2 to 3 ft	.35	.25	.20
"Scarlet Trumpet," 3 to 4 ft	.75	.60	.50
4 in. pot, 1½ to 2 ft	.40	.30	.25
DANDOREA			
PANDOREA australis (Tecoma australis), (Australian Pandorea), 4 in. pot, 2 to 3 ft	.50	.35	
Tandorea), 4 in. pot, 2 to 8 It	.00	.00	
PHILADELPHUS mexicana (Mexican Mockorange),			
balled, 3 to 4 ft	.75	.60	
SOLANUM jasminoides (Jasmine Nightshade),			
4 in. pot, 2 to 3 ft	.30	.25	
WISTERIA—Grafted Stock,			
floribunda violacea plena (Violet Japanese Wisteria),	0		
3 year, 3 to 4 ft	2.50	2.00	
1 year	1.00	.75	.60
multijuga alba (White Weeping Wisteria), 1 year	1.00	.75	
multijuga longissima (extra long clusters; lavender),	0.50		
2 years	2.50 1.50	2.00	
1 year	1.00	$\frac{1.25}{.75}$.60
sinensis (Chinese Wisteria),	1.00	.10	.00
field grefts A to 6 ft	2.00	1.50	1.25
field grafts, 3 to 4 ft	1.50	1.25	1.00
field grafts, 2 to 3 ft	1.25	1.00	.75
bench grafts, 2 year, No. 1	1.50	1.25	1.00
bench grafts, 2 year No. 2	1.25	1.00	.75
field grafts, 3 to 4 ft. field grafts, 2 to 3 ft. bench grafts, 2 year, No. 1. bench grafts, 2 year No. 2. bench grafts, 1 year.	.75	.60	.50
sinensis alba (White Chinese Wisteria), 1 year	.75	.60	.50
venuta (Silky Wisteria), 1 gal. cans, 3 year	2.00	1.50	1.25
2 year	1.50	1.25	1.00
1 year	1.00	.75	.60
"Mrs. McCullagh" (very beautiful purple), 2 year	2.00	1.50	
WISTERIA Seedlings 3 to 5 years old, heavy			
multijuga (Long Cluster Wisteria)			
3 to 4 ft	1.25	1.00	.75
3 to 4 ft	1.00	.75	.60
multijuga alba (White Weeping Wisteria), 3 to 4 ft	1.25	1.00	.75
sinensis (Chinese Wisteria), 5 to 6 ft	2.00	1.50	1.25
4 to 5 ft	1.50	1.25	1.00
3 to 4 ft	1.25	1.00	.75
2 to 3 ft	1 00	75	60

MISCELLANEOUS

Unless otherwise noted all plants in this section will be balled at prices quoted.

CORDYLINE australis (Blue Dracaena), 5 to 6 ft\$ 4 to 5 ft	each rate 2.50 2.00 1.50 1.25 .50	10 rate \$2.00 1.25 1.00 .85 .40	100 rate \$ 1.00 .75 .65 .30 .25
HESPEROYUCCA whipplei (Chaparral Yucca; "California Yucca"), 4 in. pot, 8 to 12 in	.50	.35	.25

SPECIAL OFFER

During the Summer we call on our customers as far as possible and give them the opportunity of ordering in advance at *low flat rates* regardless of quantity.

As these low rates are not mailed out, those customers we do not see have been at a disadvantage.

As an experiment to equalize this situation we are making this special offer:

Orders placed immediately for five of a kind or more, will be booked at lowest rate quoted in this list. In other words, by acting *at once* you can order small lots at hundred rates, which means a big saving.

This offer is limited as to time. Orders from customers west of Rockies must reach us by November 25th; from customers further east, time will be extended to November 30th. We will positively not deviate from these dates.

W. B. CLARKE & SON

SAN JOSE, CALIFORNIA